

# Cleaning

## Ah!Cleaner TC133



We accept the challenge!

**ANDRITZ**

# AhICleaner TC133

## Efficient removal of small debris from pulp and paper stock

### Benefits

- ▶ **Durable plastic and ceramic cones**
- ▶ **Directions of feed and accept connections can be selected**
- ▶ **Minimum space requirements**
- ▶ **Easy to operate, maintain and install**



#### The most efficient medium-size cleaner available

The Andritz AhICleaner TC133 is highly efficient in removing small impurities from stock. It combines two independently operating cleaners with common feed and accept chambers.

The TC133 consumes little power, due to the low-pressure drop design. Pressurized rejection of impurities prevents air from entering the accept and reject flows. Fiber losses in the cleaning operation can be reduced by using specially designed cones in latter stages of cleaning.

#### Reliable and compact construction


- Durable plastic or ceramic cones endure high temperatures, chemicals and wear from impurities.
- Stainless steel headers
- Directions of feed and accept connections can be selected.
- Minimal space requirements due to modular design and compact construction
- Two separate cleaner stages can be installed in the same header.

#### Easy to operate, maintain and install

- The operation of an individual cleaner can be monitored through the sight glass.
- A wear indicator warns of excessive wear in a cleaner cone.
- Patented device unplugs cleaner during operation.
- No special tools required to install the cleaners.
- Quick and easy replacement of wear parts

No. of cleaners (single stage)	1	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
H [mm]	775	825	1055	1280	1490	1700	1925	2135	2355	2565	2775	2995	3205	3430	3640	3850	4060	4270	4480
W [mm]	430	700	680	680	680	680	680	680	830	830	830	830	830	830	830	830	830	830	830
L [mm]	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550	2550

No. of cleaners (two stage)	4+2	6+2	6+4	8+2	8+4	10+2	10+4	12+4	12+6	14+4	14+6
H [mm]	1280	1640	1690	1850	1900	2060	2110	2480	2640	2690	2750
W [mm]	680	680	680	680	680	680	680	680	680	680	680
L [mm]	2770	2770	2770	2770	2770	2770	2770	2770	2770	2770	2770



www.andritz.com

fiberprep@andritz.com

**Andritz AG**, Graz, Austria  
Tel. +43 316 6902-0

**Andritz Oy**, Kotka, Finland  
Tel. +358 20 450 5555

**Andritz Inc.**, Glens Falls, NY, USA  
Tel. +1 518 793 5111

**Andritz Technologies Ltd.**, Foshan, Guangdong, China  
Tel. +86 757 8296 9222

**Andritz K.K.**, Tokyo, Japan  
Tel. +81 3 5634 3450

**Andritz Pílo Ltda.**, São Paulo, Brazil  
Tel. +55 11 3049 8001

All data, information, statements, photographs and graphic illustrations made in this leaflet are without any obligation and raise no liabilities to or form part of any sales contracts of Andritz AG or any affiliates for equipment and/or systems referred to herein. © Andritz AG 2007. All rights reserved. No part of this copyrighted work may be reproduced, modified or distributed in any form or by any means, or stored in any database or retrieval system, without the prior written permission of Andritz AG or its affiliates. Any such unauthorized use for any purpose is a violation of the relevant copyright laws. pf.tc133.02.e.11.2007